

ICPC-2<sup>e</sup>-v4.2  
a 2013 beta design



Not yet known as the

“Double Dutch Method”,  
W11 Contraception oral  
and Y14, Z30.8 Condom

# The ICPC-2e-v4.2

**Small but still a family car**

ICPC 1 (1987)



ICPC-2<sup>e</sup>-v4.2



# The ICD-10

“Nice” and big but hard to control




# The ICD-11 with all the linearizations




And we already have the Primary care linearization of the ICD-11. The ICPC-2<sup>e</sup>-v4.2



# Do not put too many persons in a car



Otherwise you will get chaos and  
a devaluation of your car




We have a problem in the Netherlands:  
The use the ICPC-1 with Dutch subcodes


How can we change to ICPC-2 without losing the information  
in the subrubrics?



This is probably not the best  
method



Use the thesaurus, the map of the ICPC-2<sup>e</sup>-v4.2 to ICD-10



# The ICD classes to link the Dutch subcodes to the ICPC-e-v4.2



# ICPC-2<sup>e</sup> with Dutch subclasses, just invented

2012-10-22 ICPC1subcviaICD10naarICPC2 7 kolommen per A3 incl engelse versie voorkant.pdf - Adobe Reader

Bestand Bewerken Beeld Venster Help



Gereedschappen

ents	F05	Visual disturbance other	H84	Presbyacuis
omplaint	F13	Eye sensation abnormal	H85	Acoustic trauma
	F14	Eye movements abnormal	H86	Deafness
	F15	Eye appearance abnormal	H99	Ear/mastoid disease other
	F16	Eyelid symptom/complaint	<b>K</b>	<b>Circulatory</b>
	F16	H02.6 Xanthelasmata palpebrae	K01	Heart pain
m	F17	Glasses symptom/complaint	K02	Pressure/tightness of heart
	F18	Contact lens symptom/complaint	K03	Cardiovascular pain NOS
ther	F27	Fear of eye disease	K04	Palpitations/awareness of heart
	F28	Limited function/disability (F)	K05	Irregular heartbeat other
	F29	Eye symptom/complaint other	K06	Prominent veins
	F70	Conjunctivitis infectious	K07	Swollen ankles/oedema
	F70	B30 Viral conjunctivitis	K22	Risk factor for cardiovascular disease
obacter-intestinal infe	F70	H10.0 Bacterial conjunctivitis	K22	Z82.4 Family history of hypercholesterolemie
	F71	Conjunctivitis allergic	K22	Z82.4 Family history of ischaemic heart disease an
	F71	H10.1 Allergic conjunctivitis	K24	Fear of heart disease
	F72	Blepharitis/stye/chalazion	K25	Fear of hypertension
	F72	H00.0 Hordeolum	K27	Fear of cardiovascular disease other
	F72	H00.1 Chalazion	K28	Limited function/disability (K)
	F72	H01.0 Blefaritis	K29	Cardiovascular symptom/complaint other
	F73	Eye infection/inflammation other	K70	Infection of circulatory system
	F73	H16.8 Dacrocystitis	K71	Rheumatic fever/heart disease
	F73	H16.9 Keratitis, not specified	K71	I00 Acute rheumatism
ion	F73	H20 Iridocyclitis	K71	I01 Acute rheumatism with heart disease
um	F74	Neoplasm of eye/adnexa	K72	Neoplasm cardiovascular
	F74	C69 Malignant neoplasm of eye and adnexa	K72	C38.0 Malignant neoplasm cardiovascular system
	F74	D31 Benign neoplasm of eye and adnexa	K72	D15.1 Benign neoplasm of heart

# ICPC-2<sup>e</sup> with Dutch subclasses

2012-10-22 ICPC1subcviaICD10naarICPC2 7 kolommen per A3 incl engelse versie voorkant.pdf - Adobe Reader

Bestand Bewerken Beeld Venster Help

1 / 1 100%

Gereedschappen Opmerking

H84	Presbycusis	L12	Hand/finger symptom/complaint	L98	Acquired deformity
H85	Acoustic trauma	L12	R29.8 Cold acra	L98	M20.0 Mallet finger
H86	Deafness	L13	Hip symptom/complaint	L98	M20.1 Hallux valgus
H99	Ear/mastoid disease other	L14	Leg/thigh symptom/complaint	L98	M20.4 Hammer toe
<b>K</b>	<b>Circulatory</b>	L15	Knee symptom/complaint	L98	M21.4 Pes planus
K01	Heart pain	L16	Ankle symptom/complaint	L98	M21.7 Unequal leg
K02	Pressure/tightness of heart	L17	Foot/toe symptom/complaint	L99	Musculoskeletal disorder
K03	Cardiovascular pain NOS	L17	M77.4 Metatarsalgia	L99	M22.2 Retropatella
K04	Palpitations/awareness of heart	L17	R29.8 Cold acra	L99	M23.3 Non traumatic
K05	Irregular heartbeat other	L18	Muscle pain	L99	M23.3 Old meniscus
K06	Prominent veins	L18	M79.7 Fibromyalgia	L99	M23.5 Instable knee
K07	Swollen ankles/oedema	L19	Muscle symptom/complaint NOS	L99	M24.0 Corpus liberum
K22	Risk factor for cardiovascular disease	L20	Joint symptom/complaint NOS	L99	M35.3 Polymyalgia
K22	Z82.4 Family history of hypercholesterolemia	L26	Fear of cancer musculoskeletal	L99	M35.7 Hyper laxity
K22	Z82.4 Family history of ischaemic heart disease and	L27	Fear of musculoskeletal disease other	L99	M84.1 Pseudoarthritis
K24	Fear of heart disease	L28	Limited function/disability (L)	L99	M94.0 Syndrome of
K25	Fear of hypertension	L29	Musculoskeletal symptom/complaint other	<b>N</b>	<b>Neurological</b>
K27	Fear of cardiovascular disease other	L70	Infection of musculoskeletal system	N01	Headache
K28	Limited function/disability (K)	L70	M00 Septic arthritis	N03	Pain face
K29	Cardiovascular symptom/complaint other	L70	M86 Osteomyelitis	N04	Restless legs
K70	Infection of circulatory system	L71	Malignant neoplasm musculoskeletal	N05	Tingling fingers/feet
K71	Rheumatic fever/heart disease	L71	C46.1 Malignancy of musculoskeletal system	N06	Sensation disturbed
K71	I00 Acute rheumatism	L72	Fracture: radius/ulna	N07	Convulsion/seizure
K71	I01 Acute rheumatism with heart disease	L73	Fracture: tibia/fibula	N07	R56.0 Convulsion c
K72	Neoplasm cardiovascular	L74	Fracture: hand/foot bone	N08	Abnormal involunta
K72	C38.0 Malignant neoplasm cardiovascular system	L74	S62.5 Fracture ossa phalanges hand	N08	G25.2 Involuntary
K72	D15.1 Benign neoplasm of heart	L74	S92.5 Fracture ossa phalanges foot	N16	Disturbance of smel

# One classification with local adaptations



One ICPC (ICPC-2<sup>e</sup>-v4.2) at rubric/class level with local adaptations (the subclasses). Use the ICD-10 classification for the subclasses

### Benefits

The comparison at ICPC rubric level is guaranteed

Reporting on the selected subclass level is guaranteed

Reporting on ICD level is guaranteed and adapted to local conditions

# Side Effects

Problems in analyzing the data:

The danger of not using the the “subclasses” on the two-pager. So the selection on subclass level is only guaranteed when the GP always use them.



# The ICPC-2<sup>e</sup>-v4.2 and the ICD-11



