

Coding and terminologies – terminology services

Jean Karl Soler Mediterranean Institute of Primary Care University of Ulster

*@***Health**

Translational Research and Patient Safety in Europe

European Commission



What?

- Concept
 - Unit of meaning or knowledge
- Code
 - Converting information into a representation, also for communicating such information
- Term
 - Words and compound words that are used in specific contexts
- Attributes
 - a characteristic of an object

What?

- Concept: Upper respiratory tract infection
 - Unit of meaning or knowledge
- Code: *R74*
 - Converting information into a representation, also for communicating such information
- Term: cold, pharyngitis, nasopharyngitis, rhinitis, coryza
 - Words and compound words that are used in specific contexts
- Attributes: acute, inflammation, nasal or pharyngeal mucosa, infection, virus, respiratory
 - a characteristic of an object

Coding or terming?

• Free text

Ambiguity of meaning is an issue

- Nomenclature/Terminology
 - List of names and/or terms
 - System of principles, procedures and terms related to naming
- Classification unique coding of concepts

Terminology or classification?

- Terminology gives promise of entering a preferred term, and the concept is captured without fuss
- Classifications seem technical, may be too big or too small (granularity), but have the major advantage of coding concepts exclusively
- Terminologies trade <u>ambiguity</u> for ease of use

Ambiguity of terms

- "Cold"
 - Upper respiratory tract infection
 - Influenza
 - Cold injury
 - Emotionally cold
 - Cold agglutinins

Ambiguity of terms

• "Cold"

 Upper respiratory tract infection 	R74
– Influenza	R80
 Cold injury 	A88
 Emotionally cold 	P29
 Cold agglutinins 	B82

Ambiguity of attributes

- Red
- Beautiful
- Expensive
- Desirable

Ambiguity of attributes

- Red
- Beautiful
- Expensive
- Desirable



Ambiguity of attributes

- Red
- Beautiful
- Expensive
- Desirable



Ambiguity of concepts

- "Metabolic syndrome"
- "Asthmatic bronchitis"
- Sadness, or clinical depression?

 Do we need unique concepts which are well defined, and which appropriately cover the domain?

SNOMED-CT

- Possible to code 'acute appendicitis' in many ways, each correct but each with a different code built up from child concepts in many different ways
- Each concept described by one or more terms
- No preferred or synonymous terms
- Concepts may overlap
- Further compounded with different languages, more complex or more ambiguous concepts, and when one chooses different level of specificity of the diagnostic label

ICPC

- Rubrics code mutually exclusive concepts
- Inclusion and exclusion criteria: definitions
- Covers the breadth of the domain
- "Granularity" appropriate for the domain
- Classification based on empirical data
- Non-ambiguity, non-vagueness (codes refer to one object in the domain)
- non-redundancy (only one correct way to code the concept)

Interoperability

- What?
- Why?
- How?

Interoperability

- The ability of diverse systems and organizations to work together (inter-operate)
- Why?
- How?

Semantic Interoperability

- Ability of any communicating entities (not only computers) to share unambiguous meaning
- Why?
- How?


Semantic Interoperability

- Ability of any communicating entities (not only computers) to share unambiguous meaning
- If not, meaning is lost through communication
- How?

Semantic Interoperability

- Ability of any communicating entities (not only computers) to share unambiguous meaning
- If not, meaning is lost through communication
- Classifications offer unambiguous meaning

ICPC within WHO-FIC



Semantic interoperability in practice

A thesaurus for ICPC2 and ICD10

Because

ICPC does order the domain of family medicine..

...but has insufficient granularity to document all individual patients' diagnoses

.... thus a thesaurus would allow easy, semiautomatic double coding, using:

- ICPC-2 as an ordering principle based on the high prevalence of common diagnoses in family practice
- and ICD-10 as a nomenclature based on the wide range of known diagnoses

ICPC2-ICD10 THESAURUS


A diagnostic Terminology for Semi-automatic Double Coding in Electronic Patient Records



Henk Becker, Sibo Oskam, Inge Okkes, Kees van Boven, Henk Lamberts Academic Medical Center/University of Amsterdam Department of Family Medicine

Contact: Inge Okkes episode@planet.nl

CONSIGNATION INC.





Amsterdam, 2005

Example:

In the Search text box, you type 'pneumonia',

<u>S</u>	earch text: pneumonia	
	Text	۸
	pneumohydrothorax	
	pneumohydrothorax	
	pneumomediastinum	
	pneumomediastinum; congenital or perinatal	
	pneumomycosis (etiology)	
	pneumomycosis (manifestation)	
	pneumonectomy; status	
▶	pneumonia	
	pneumonia; actinomycosis (etiology)	
	pneumonia; actinomycosis (manifestation)	
	pneumonia; adenovirus	
	pneumonia; adynamic	
	pneumonia; alba	
	pneumonia; allergic	
	pneumonia; anesthesia	
	pneumonia; anthrax (etiology)	
		¥

there are many types of pneumonia in ICD-10,


Ŗ	ICPC2-ICD10 thesaurus	
Fi	le Layout Browse HotKeys Info	
<u>S</u>	earch text: pneumon	
	Text	
_	pneumomycosis (manifestation)	
	pneumonectomy; status	
•	pneumonia	
_	pneumonia; actinomycosis (etiology)	
	pneumonia; actinomycosis (manifesta	
	pneumonia; adenovirus	
	pneumonia; adynamic	
	pneumonia; alba	
	pneumonia; allergic	
	pneumonia; anesthesia	
	pneumonia; anthrax (etiology)	
	pneumonia; anthrax (manifestation)	
	pneumonia; apical	
	pneumonia; ascariasis (etiology)	
	pneumonia; ascariasis (manifestation)	
	pneumonia; aspergillosis (etiology)	
	pneumonia; aspergillosis (manifestati	
	pneumonia; aspiration	
	pneumonia; aspiration, blood	
	pneumonia; aspiration, blood, newboi	
	pneumonia; aspiration, essences	
	pneumonia; aspiration, food	
	pneumonia; aspiration, food, newborr	
	pneumonia; aspiration, gastric secreti 🖵	
-	18.9 Pneumonia, unspecified 81 Pneumonia	

Say we want to select 'pneumonia; Haemophilus influenzae' (typing 'pneum;h' will do)..

PICPC2-ICD10 thesaurus	- D ×
File Layout Browse HotKeys Info	
Search text: pneum;h	
Text	<u> </u>
pneumonia; Enterobacter	
pneumonia; eosinophilic	
pneumonia; Escherichia coli	
pneumonia; fibroid	
pneumonia; fibroid	
pneumonia; Friedländer's bacil	
pneumonia; fumes and vapors	
pneumonia; fungus	
pneumonia; gangrenous	
pneumonia; giant cell (etiology)	
pneumonia; giant cell (manifestation)	
pneumonia; gonococcal (etiology)	
pneumonia; gonococcal (manifestation)	
pneumonia; gonorrhea (etiology)	
pneumonia; gonorrhea (manifestation)	
pneumonia; grippal	
pneumonia; Haemophilus influenzae	
J14 Pneumonia due to Haemophilus influenzae	
R81 Pneumonia	




..double click, and the export box shows. Suppose you want to add a new type (e.g., 'Amsterdam'). You can add that term, and also you may add this new type to your Thesaurus.. just click 'Export and add'...




ICPC2-ICD10 thesaurus	
File Language Layout Browse HotKeys Info	
Search text: Isyphilis	D10 PC
synovium; hypertrophy	
synovium; rupture	
synovium; syphilitic (etiology)	
synovium; syphilitic (manifestation)	
synovium; syphilitic, congenital (early) (etiology)	
synovium; syphilitic, congenital (early) (manifesta	tion)
syphilid	
syphilid; congenital	
syphilid; newborn	
syphilid; tubercular (etiology)	
syphilid; tubercular (manifestation)	
syphilid; tubercular, congenital	
▶ syphilis	
syphilis; , vitreous, hemorrhage (manifestation)	😻 Select ICPC code:
syphilis; abdomen	
syphilis; adenopathy	
syphilis; adrenal (etiology)	▶ X70 Syphilis female
syphilis; adrenal (manifestation)	Y70 Syphilis male
syphilis; age under 2 years	
syphilis; age under 2 years	
syphilis; age under 2 years, acquired	
syphilis; alopecia (etiology)	
syphilis; alopecia (manifestation)	
syphilis, anemia (etiology)	
syphilis; anemia (manifestation)	-
Mapping to ICD9:	
▶ 097.9 Syphilis nos	
A53.9 Syphilis, unspecified	
X70 Syphilis female	

UMLS


Metathesaurus



🐐 Rich Release Format Browser 2005AA C1331395			
File Edit Options			Help
	Subset Directory	C:/UMLS/2005AA/META	1
CUI Search Tree Browser Word Search	Raw View Report View		-1
Context Tree Tops CONTEXT Tree Tops International Statistical Classification of Diseases and F MeSH SNOMED CT Concept The International Classification of Diseases: 9th revisio	Concept: International Classification of Primar CUI: C1331395 Semantic Type: Intellectual Product Atoms (4): International Classification of Primary Care 2n [A4376358/SRC/RPT/V-ICPC2EENG] ICPC2E [A4376014/SRC/RHT/V-ICPC2EENG] ICPC2E [A4376015/SRC/RSN/V-ICPC2EENG] ICPC2EENG [A4376318/SRC/RAB/V-ICPC2EENG] ICPC2EENG [A4376318/SRC/RAB/V-ICPC2EENG]	nd Edition, Electronic, 2E 3] NG]	
	ICPC2EENG/RHT/V-ICPC2EENG 1 <icpc2e></icpc2e>		
	Relationships (4): [CHD] Symptoms and Complaints Component [[CHD] Diseases Component [ICPC2EENG/CO [RN] International Classification of Primary Car 200203 [SRC/VPT]version_of SRC] <u>C1331396</u> [RO] International Classification of Primary Car Translation (SRC/DRT#ranslation_of)SRC] <u>C1331396</u>	o[[ICPC2EENG] <u>C1331399</u> re 2nd Edition, Electronic, 2E, re 2nd Edition, Electronic, 2E, Dutch	•



e Edit Options 🗊 🖴 🤷 年 🌩	He Subset Directory C:\UMLS\2005AA\META
	Subset Directory C:\UMLS\2005AA\META
CUI Search Tree Browser Word Search Context Tree Tops ICPC2E Diseases Component Abdominal hernia other Abnormal cervix smear Abnormal result investigation nos Abnormal urine test nos Abortion induced Abortion spontaneous Acoustic trauma Acquired deformity of limb Acquired deformity of spine Acute bronchitis/bronchiolitis Acute internal damage knee Acute myocardial infarction Acute otitis media/myringitis Adverse effect medical agent Adverse effect physical factor Affective psychosis	Raw View Report View Relationships (56): [CHD] Acne vulgaris [ICD10/PT] ICD10] C0001144 [CHD] Acne vulgaris [ICD10/PT] ICD10] C0029485 [CHD] Acne variolfformis [ICD10/PT] ICD10] C0152249 [CHD] Acne variolfformis [ICD10/PT] ICD10] C0263437 [CHD] Infartile acne [ICD10/PT] ICD10] C0263442 [CHD] Acne conglobata [ICD10/PT] ICD10] C0263442 [CHD] Acne excoriee des jeunes filles [ICD10/PT] ICD10] C0343078 [CHD] Acne tropica [ICD10/PT] ICD10] C0494863 [PAR] Disorders of skin appendages [ICD10/PT] ICD10] C0037272 [RQ] Other acne [ICD9CM/PT]mapped_to]HLREL] C0029485 [CHD] Acne vulgaris [SNOMEDCT/PT]isa]SNOMEDCT] C0001144 [CHD] Acne veloid [SNOMEDCT/PT]isa]SNOMEDCT] C0001145 [CHD] Acne variolfformis [SNOMEDCT/PT]isa]SNOMEDCT] C0029485 [CHD] Acne variolfformis [SNOMEDCT/PT]isa]SNOMEDCT] C0263437 [CHD] Acne variolfformis [SNOMEDCT/PT]isa]SNOMEDCT] C0263437 [CHD] Acne atrophica [SNOMEDCT/PT]isa]SNOMEDCT] C0263437 [CHD] Acne atrophica [SNOMEDCT/PT]isa]SNOMEDCT] C0263438 [CHD] Acne indurata [SNOMEDCT/PT]isa]SNOMEDCT] C02634439 [CHD] Acne indurata [SNOMEDCT/PT]isa]SNOMEDCT] C0263441 [CHD] Acne indurata [SNOMEDCT/PT]isa]SNOMEDCT] C0263441 [CHD] Acne indurata [SNOMEDCT/PT]isa]SNOMEDCT] C0263441 [CHD] Acne indurata [SNOMEDCT/PT]isa]SNOMEDCT] C0263445 [CHD] Acne indurata [SNOMEDCT/PT]isa]SNOMEDCT] C0263441



EU TRANSFoRm WT7.2

- A working terminology service is made available as a software-based milestone
 - A simple web-based interface of the TRANSFoRm
 Integrated VS, allowing terminology searches through the Unified Medical Language System (UMLS) to a subset of hosted vocabularies, relevant to Primary Care Research and Clinical Practice.
 - A publically* available web service
 - Integration of TRANSFoRm VS to users, such as electronic
 Primary Care Research Network workbench

Hosted Vocabularies

- UMLS Metathesaurus
- National Cancer Institute Thesaurus
- ICD-9-Clinical Modification
- ICD-10
- ICPC-2
- ICPC-2-ICD-10 Thesaurus
- Read Codes version 2

Various Languages (e.g. English, Basque, Danish, Dutch, Finnish, French, German, Hebrew, Hungarian, Italian, Norwegian, Portuguese, Spanish, Swedish)

Web Service: Example of partial output for the search of the abbreviated clinical term "GORD"

				And a state of the			
📮 Consol	le 🛛			- × 🔌 🗟 🗗 🖓 🖬 🛛 🖉	•		
<terminate< td=""><td colspan="7"><terminated> VocabularyServiceClient [Java Application] C:\zhaolz\Java\jdk1.6.0_23\bin\javaw.exe (31 Mar 2011 15:54:06)</terminated></td></terminate<>	<terminated> VocabularyServiceClient [Java Application] C:\zhaolz\Java\jdk1.6.0_23\bin\javaw.exe (31 Mar 2011 15:54:06)</terminated>						
Concept	Concept: Gastroesophageal reflux disease						
UMLS CU	I: C0017	168					
Semanti	c type: Disea	ise or Syndrome					
Source	concepts:						
	K21	ICD10	ENG	Gastro-oesophageal reflux disease			
	530.81	ICD9CM	ENG	Esophageal reflux			
	MTHU030535	ICPC2ICD10ENG	ENG	gastroesophageal; reflux			
	MTHU063996	ICPC2ICD10ENG	ENG	reflux; gastroesophageal			
	D84004	ICPC2P	ENG	oesophageal reflux			
	X3003	RCDv3	ENG	Gastro-oesophageal reflux disease			
	J1011	RCDv2	ENG	Acid reflux			
	J10y4	RCDv2	ENG	Gastro-oesophageal reflux			
	102620007	SNOMEDCT	ENG	Gastroesophageal reflux			
	155673008	SNOMEDCT	ENG	Esophageal reflux			
	196600005	SNOMEDCT	ENG	Acid reflux			
	196624002	SNOMEDCT	ENG	Esophageal reflux			
	235595009	SNOMEDCT	ENG	Gastro-esophageal reflux			
266498005 SNOM		SNOMEDCT	ENG	Esophageal reflux			
	54856001	SNOMEDCT	ENG	Gastresophageal reflux disease			
	K21	DMDICD10	GER	Gastrooesophageale Refluxkrankheit			
K21 I		ICD10DUT	DUT	Aandoeningen door gastro-oesofagale reflux			
	MTHU030535	ICPC2ICD10DUT	DUT	gastro-oesofagaal; reflux			
	MTHU063996	ICPC2ICD10DUT	DUT	reflux; gastro-oesofagaal	-		
	102620007	SCTSPA	SPA	reflujo gastroesofagico (hallazgo)	=		
	196600005	SCTSPA	SPA	Acid reflux			
	196624002	SCTSPA	SPA	Oesophageal reflux			
	235595009	SCTSPA	SPA	reflujo acido			
	54856001	SCTSPA	SPA	enfermedad por reflujo gastroesofagico			
Concept	-	um Nematomorpha					
UMLS CU							
	c type: Eukar	ryote					
Source	concepts:	0101/05 00	-				
	106683009	SNOMEDCT	ENG	Phylum Nematomorpha			
	112448006	SNOMEDCT	ENG	Hairworms			
	54282001	SNOMEDCT	ENG	Nematomorpha			
	106683009	SCTSPA	SPA	tipo Nematomorpha			
	112448006	SCTSPA	SPA	nematomorfos			
	54282001	SCTSPA	SPA	Nematomorpha			
					-		
•				•			

A screenet

Vinterface

TRANSFoRm EVS × +	Source vocabularies:			1	
← → C ③ 147.188.87	Source	Language	Code	Language:	English 🔽 🏠 🔧
	ICD10	ENG	E11	Non-insulin-dependent mellitus	Basque d Czech Danish
	ICPC2EENG	ENG	T90	Diabetes non-insulin de	
	ICPC2ICD10ENG	ENG	MTHU003788	adult-onset; diabetes	English
	ICPC2ICD10ENG	ENG	MTHU022755	diabetes	French
	ICPC2ICD10ENG	ENG	MTHU022756	diabetes; adult-onset	German Hebrew
	ICPC2ICD10ENG	ENG	MTHU022795	diabetes; maturity-onse	
	ICPC2ICD10ENG	ENG	MTHU022815	diabetes; NIDDM	Italian
	ICPC2ICD10ENG	ENG	MTHU022816	diabetes; non-insulin-de	Japanese e Korean
	ICPC2ICD10ENG	ENG	MTHU022817	diabetes; nonketotic	Latvian
	ICPC2ICD10ENG	ENG	MTHU022833	diabetes; type II	Norwegian Portuguese
	ICPC2ICD10ENG	ENG	MTHU047774	maturity-onset; diabete	
	ICPC2ICD10ENG	ENG	MTHU052916	NIDDM; diabetes	Croatian Spanish 👻
	ICPC2ICD10ENG	ENG	MTHU053298	non-insulin-dependent;	
	ICPC2ICD10ENG	ENG	MTHU053299	nonketotic; diabetes	
	\backslash				
\wedge					
					maturity-s
					NIDDM; diabets
Dise				THUS	Pr-insulin-depender
			ICPC2ICD10ENG	ENG MTHU05325	6 Vic; diabetes
		es mellitus, adult with hyperosmolar	ICPC2P	ENG T90005	non less tent diabetes
			ICPC2P	ENG T90007	adult ons

Thank you

This tutorial can be downloaded under pdf format from the WICC website <u>http://www.ph3c.org</u> rubric ICPC / ICPC & terminologies /The TRANSFoRm project