

Primary Care Linearization in ICD-11

Robert Jakob (WHO)

Thomas Kühlein (WICC/Germany)

Kees van Boven (WICC/The Netherlands)

Gustavo Gussa (WICC/Brasil)

**ICPC-2 and ICD-10 a
difficult relation in the
WHO-FIC**



Problems of ICD-10 for PC


- Granularity too high/ too big
- Too specific/ missing specificity
- Missing reasons for encounter/
process-codes
- Missing meaningful higher
level codes

Advantages of ICPC-2 for PC

- Granularity low (roughly right vs. exactly wrong)
- Specific for PC
- Codes for RfE, diagnoses and processes
- Offers meaningful higher level codes for ICD-10 via the mapping

What we have now: ICPC-2 often maps to several chapters and different levels of ICD-10

The relationship is distant and complicated



What we learned about ICD-11 in Brasilia:


**ICD-11: similar on surface, but
different in structure**

**„call it the ontological shift“
„think of a play-list in your i-pod**

**the basic content can be viewed on
different telescopic levels**

**This telescopic structure is called
primary care linearization**

ICD-11 = one common product



F2348 Malignant melanoma of anus

1	Exported:	Fri, 13 Apr 2012 08:02:19 +0000									
---	-----------	---------------------------------	--	--	--	--	--	--	--	--	--

ROWS SHOULD NOT BE DELETED!

Expand selected row	Expand all rows	Hide/show protected fields	
Collapse selected row	Collapse all rows	Show all fields	
Definition	Attributes	Comments	
Scroll left -1	-4	Scroll right +1	+4

2	Navigate: Concept title (preferred term) arranged hierarchically	Contextual help	Required only if different from title	Choose
---	--	-----------------	---------------------------------------	--------

3	Retire?	Concept title (Entity title)	Hide/show fully specified name	Fully specified name	Concept
---	---------	------------------------------	--------------------------------	----------------------	---------

2348	Malignant melanoma of anus			
2349	Neuroendocrine neoplasm of anus			
2350	Anal endocrine tumour			
2351	Lymphoma of anus			



Thomas' data

Zeilenumbruch

Standard

Verbinden und zentrieren

Zahl

Bedingte
FormatierungAls Tabelle
formatieren

Zellenformatvorlagen

Zwischenabfrage Schrittart Ausrichtung

Zahl

Formatvorlagen

D17 Übelkeit und Erbrechen

	A	B	C	D
1		ICPC	ICD-10	ICD-10 Bezeichnung
2		D01	R10.4	Sonstige und nicht näher bezeichnete Bauchschmerzen
3		D01	R10.0	Akutes Abdomen
4		D02	R10.1	Schmerzen im Bereich des Oberbauches
5		D03	R12	Sodbrennen
6		D04	R10.3	Schmerzen mit Lokalisation in anderen Teilen des Un
7		D04	K62.8	Sonstige näher bezeichnete Krankheiten des Anus un
8		D04	K59.4	Analspasmus
9		D04	R10.2	Schmerzen im Becken und am Damm
10		D05	L29.0	Pruritus ani
11		D05	L29.3	Pruritus anogenitalis, nicht näher bezeichnet
12		D06	R10.3	Schmerzen mit Lokalisation in anderen Teilen des Un
13		D06	R10.1	Schmerzen im Bereich des Oberbauches
14		D06	R10.2	Schmerzen im Becken und am Damm
15		D07	K30	Dyspepsie
16		D08	R14	Flatulenz und verwandte Zustände

Tabelle1 Tabelle2 Tabelle3

Bereit




Do we need new classes in ICPC-3 to describe the content of Primary Care better?

Thomas Kühlein (Germany), Jean Karl Soler (Malta), Ferdinando Petrazzuoli (Italy), Daniel Pinto (Portugal), Nicola Buono (Italy), Diego Schrans (Belgium), Pauline Boeckxstaens (Belgium), Sebastian Juncosa (Spain), Gustav Kamenski (Austria), Shabir Moosa (South Africa), Kees van Boven (The Netherlands) for the Wonca International Classification Committee (WICC).

ICPC-2:

- strictly sorted by localization
- 1,404 terms
- RfE, diagnoses and processes



ICD-10:

- sorted by etiology and localization
- approximately 14,000 terms
- mainly diagnoses



D84 Oesophagus disease K20 Oesophagitis
K21 Gastro-oesophageal reflux disease
K21.0 Gastro-oesophageal reflux disease with oesophagitis
K21.9 Gastro-oesophageal reflux disease without oesophagitis

Frequency >0.2 episodes / 1000 patsy

D70	Gastrointestinal infection	A08	Viral and other specified intestinal infections
		A04	Other bacterial intestinal infections
		A07.1	Giardiasis [lambliasis]
			Diarrhoea and gastroenteritis of presumed infectious origin
D73	Gastroenteritis presumed infection	A09	

How can we go on?