



The Q-Codes

A proposal for a complementary chapter to ICPC-2

Marc Jamoulle
Département de médecine générale, ULG



marc.jamoulle@doct.ulg.ac.be

Wonca International
Classification Committee
annual meeting.

Turku, Finland, 9-15 Sept 2016

How to manage the knowledge of Family Doctors ?

Which way to organize GP/FM knowledge ?

Any chance to have a common basic job description?

Any way to go through gray litterature?



- Home ▾
- WONCA Europe Council ▾
- Event Calendar
- Network & Collaborative Organizations ▾
- Journal ▾
- Library ▾

- Next Conference
- Declarations ▾
- Webshop ▾
- Links ▾
- Jawdropping
- Projects ▾
- Contact
- Heart & Soul Projects ▾

Abstracts

Author(s)

Title contains

Text contains

Conference



Wonca Europe Congresses



Wonca World Congresses

-

Wonca Europe Congresses

- Wonca 2016 - Copenhagen
- Wonca 2015 - Istanbul
- Wonca 2014 - Lisbon
- Wonca 2013 - Prague
- Wonca 2012 - Vienna
- Wonca 2011 - Warsaw
- Wonca 2010 - Malaga
- Wonca 2009 - Basel
- Wonca 2008 - Istanbul
- Wonca 2007 - Paris
- Wonca 2006 - Firenze
- Wonca 2005 - Kos
- Wonca 2004 - Amsterdam
- Wonca 2003 - Ljubljana
- Wonca 2002 - London
- Wonca 2001 - Tampere
- Wonca 2000 - Vienna
- Wonca 1999 - Palma de Mallorca
- Wonca 1998 - Dublin
- Wonca 1997 - Prague
- Wonca 1995 - Strasbourg

-

Wonca World Congresses

- Wonca 2010 - Cancun, Mexico
- Wonca 2007 - Singapore
- Wonca 2004 - Orlando, USA
- Wonca 2001 - Durban, South Africa

Bottom-up approach to knowledge

Qualitative analysis of 1700 abstracts presented by GPs

WAP CNGE CLERMONT 2013 205 abstracts - ATLAS.ti

Sessions Codes Memos Networks Analysis Tools Views Windows Help

P326: Case 121

id
129

title
Dépendance physique de la personne âgée et maintien à domicile à Hem


body
CONTEXTE: Retarder l'entrée en dépendance des personnes âgées est un objectif de santé publique depuis plusieurs années. Le vieillissement de la population propulse leur dépendance en enjeu de santé publique. La faiblesse de l'aide personnalisée à domicile (APA) force à moyen terme à améliorer le système pour leur maintien à domicile.

QUESTION: Est il possible de mettre en adéquation les aides au maintien à domicile et la dépendance des personnes âgées pour leur bénéfice dans le cadre d'un partenariat entre les soignants d'un pôle de santé en constitution les élus de leur ville?

METHODOLOGIE: Dans la ville de Hem (59510), 20.000 habitants, les soignants ont colligé les motifs de dépendance des personnes de plus de 75 ans par indice de Katz; ils les ont comparés aux aides pour leur maintien à domicile par questionnaires envoyés chez eux avec un financement municipal; il devaient répondre avec le médecin traitant.

RESULTATS: Les réponses étaient de 32,34% (422 personnes âgées) pour 1309 envois. L'échantillon était de 64,73% (270) de femmes; 33,66% (139) personnes avaient entre 75 et 79 ans, 33,66% (139) entre 80 et 84 ans, 26,39% (109) entre 85 et 89 ans, 6,30% (26) entre 90 et 94 ans. Les âges moyen et médian étaient identiques à 82 ans, l'échantillon comparable à la population pour l'âge. Ils vivaient en EHPA pour 9,57% (40 personnes). Le score ADL était inférieur à 3 pour 2,93% (12 PA) des personnes. Le score ADL moyen était de 5,469 avec une médiane à 6; 66,10% des personnes (271 PA) étaient aidées pour leurs activités quotidiennes, 33,25% (139 PA) ne bénéficiaient d'aucune aide.

129 QR3 Functional status QC16 Ageing
A28 Limited function/disability NOS
QR44 Transversal study QR61 Scales & questionnaires



250

Congrès CNGE Lille 2014
On 289 submitted abstracts
Distribution by Q-codes and following
acceptation

200

150

100

50

0

■ 211 acceptés ■ 78 refusés

QC Catégories

QD Médecins

QE Ethique


QHEnvironnement

QP Patients

QR Recherche

QS Pratique


QT Enseignement




Congrès CNGE Lille 2014

On 289 submitted abstracts


Distribution by ICPC-2 and following
acceptation





Comparaison codes CISP-2 % du total

Comparison between congres abstracts content



GPs are discussing more P, Z et W than when coding patients' problems.
Some very important clinical issues dont' appear

Development of 3CGP version 2

Now version 2.5

With the help of the Department of bioinformatics,
Rouen University. (Prof Darmoni – Prof Grosjean)

Challenges:

- **Taxonomy**
- **Multi-terminologic**
- **Multilingual**
- **Fit for Ontologic world**
(NLP and Semantic web)

1970 Human ----- Papers ----- Human


1990 Human ----- Machine ----- Human

Excel

URL
doc

2003 Human

URI
data



<http://linkeddata.org/>
<http://lod-cloud.net/>



Tim Berners Lee

Q-Codes
content

12

HeTop field	Signification	Remark
Category ID	Alphanumeric identifier of the Q-code	Letter Q followed by one letter (C,D,P,S,T,R,H,O) followed by maximum four numeric digits
Category label	Full title of the category	First letter capital, plural possible, can be compound words
Preferred term (PT)	Normalized title of the category	English, masculine, singular, lower case
Preferred term, other language	Translated (es, pt, nl, yn, tr, fr, cr) version of the PT (any language allowed)	Will be used as text word [TW] search term in PubMed equation (in English)
Supplementary entry term(s)	Additional search term(s)	Will be used as text word [TW] search term in PubMed equation(in English)
Category definition	Definition of the title of the category	Reflecting the corporate culture of GP/FM. Show the intension of the concept
Category conceptual content	Set of definitions or descriptions from online nomenclatures, dictionaries or thesauri	Shows the extension of the concepts, includes the curated MeSH definitions
Automatic HeTop interterminologic relations	Automatic mapping of the PT by the HeTop embedded terminologies	Each proposal could be checked accepted or refused
Terminological features	Broader Than Narrower Term (BTNT) or Narrower Than Broader Term (NTBT)	Establish the hierarchical position of the PT mapping and links it to the HeTop semantic network
Curated MeSH	Accepted MeSH(s) which meaning correspond to the defined content of the PT	Will be used as [MH] in the PubMed equation automatically generated by the HeTop/Inforoute system
Refused links	Manually refused terminological links judged non-convenient	Will not be used in the search equation
Bibliographic free full text links	URL of citations of free full texts highlighting the content of the Q-Code	Generally chosen in PubMed but also through Google scholar
Babelnet.org link	Link to the URI of the corresponding babelnet.org entry(es)	Maps the Q-Code to an extensive semantic network of multilingualistic knowledge
DBpedia.org link	Link to the URL of the corresponding DBpedia entry(es).	Maps the Q-Code to a major knowledge semantic database. Could be Wikipedia if DBpedia missing

2016

Definition
Wonca dic. if any

Definition other
(source)

Domain

Link MeSH if any

Category

Other Links Hetop if
any

Sub-category

Link Babelnet if any

Code

Excl criteria

182 codes 3CGP

Is related to

Has excl
consider


Consider 3CGP

Consider ICPC

Is a

Multilingual
Terminology

OUT



DBGUI

CISMeF acronym

	en ▾
--	------

Exclusion

acute/transient psychosis P98	en ▾
psychose aiguë et transitoire P98	fr ▾
psicose aguda/ transitória P98	pt ▾

Inclusion

all types of paranoia; all types of schizophrenia	en ▾
all types of schizophrenia, paranoia	en ▾
tous types de schizophrénie, paranoïa	fr ▾
todos os tipos de esquizofrenia, paranóia	pt ▾

CISMeF synonym

	en ▾
--	------

UMLS CUI

C0036341	
----------	--

ICPC-2 component

autres diagnostics	fr ▾
--------------------	------

Note

	en ▾
--	------

Full tree

+ ARBO ICPC-2 top tree

+ See also (0)

+ See also (suggested by CISMeF) (0)

+ **See also inter- (CISMeF) (0)**

+ **See also (automatic) (0)**

+ **ICD-10 related (20)**

Q-Códigos y la terminología multilingüe de la medicina general y de familia

versión española

Marc Jamouille, María Ana Mariño,


Ricardo La Valle, Miguel Pizzati

Médecin

ENGLISH VERSION

The Q-Codes: General Practice / Family Medicine Multilingual Terminology

Marc Jamouille & Melissa P. Resnick



DEPARTMENT OF GENERAL PRACTICE, UNIVERSITY OF LIEGE, BELGIUM

Terminologia Multilíngue
Geral / Medicina de Família e
Comunidade

Versão em Português

Marc Jamouille, Arthur Treuherz,

Luis Filipe Gomes, Gustavo Gusso

일반의 / 가정의 다국어 용어집

한국어 버전

[General Practice / Family Medicine Multilingual Glossary, Korean version]

Marc Jamouille & Jong-Myon Bae


역학자

VERSION FRANÇAISE

DÉPARTEMENT DE MÉDECINE GÉNÉRALE, UNIVERSITÉ DE LIÈGE, BELGIQUE

Les Q-Codes et la terminologie
multilingue de médecine générale
et de famille

Marc Jamouille, Patrick Ouvrard, Matthieu Schuers



INSTITUT DE FORMATION THÉRAPEUTIQUE DU GÉNÉRALISTE, PARIS, FRANCE
INSTITUT DE MÉDECINE GÉNÉRALE, UNIVERSITÉ DE ROUEN, FRANCE

Q-Codes. Een multilaterale terminologie in
de huisartsgeneeskunde

Nederlandse versie

Marc Jamouille, Johan Brouns,

Carl Steylaerts, Johan Wens


Huisarts

Two years work alone but a lot of people join;

Interest for translating the terms : 8 languages

Interest for translating the definitions : 8 languages

Let's see the result on line



Extracted from the database ; Terminology in GP/FM in 5 languages